



## Road Runner 2 & 5-day Quick Ship Program

<b>HBB 5-Day</b> HORIZONTAL BELT DRIVE	page 2
<b>BVE 5-Day</b> VERTICAL BELT DRIVE	page 3
<b>BMB 5-Day</b> MODULAR BELT DRIVE	page 4
<b>DH 5-Day</b> HORIZONTAL DIRECT DRIVE	page 5
<b>DV 5-Day</b> VERTICAL DIRECT DRIVE	page 6
<b>DU 5-Day</b> UNIVERSAL DIRECT DRIVE	page 7
<b>COILS 2-Day</b> CASED/UNCASED DUCT	page 8
<b>ACCESSORIES 5-Day</b>	page 9
<b>CH 5-Day</b>	page 10
<b>CE 5-Day</b>	page 11
<b>BRD 10-Day</b> ROOFTOP BELT DRIVE	page 12
<b>REPLACEMENT PARTS</b>	page 13
<b>Map for Freight Charges</b>	page 14

**Send Orders To:**

**(860) 998-1520 order fax**

OR

**[purchaseorders@magicaire.com](mailto:purchaseorders@magicaire.com)**

**Freight not included - add using zone map for either standard or 2-Day Expedite**

**Send Orders to [purchaseorders@magicaire.com](mailto:purchaseorders@magicaire.com) or fax 860-998-1520**

**For Items Not Listed Please Contact [customer.service@magicaire.com](mailto:customer.service@magicaire.com) for Availability**

**Quick Ship orders subject to Cancellation Fees and are Non-Returnable**

**Subject to Standard Magic-Aire Terms and Conditions**

# HBB SERIES 5-DAY QUICK SHIP PROGRAM



## HORIZONTAL BELT-DRIVE AIR HANDLING UNITS

**Key features available**

- Alls sizes
- All Chilled/Hot Water Selections
- Standard Capacity R-22 or R410A
- Right/Left Hand and Opposite Connections
- All Voltages
- Standard ODP Motors
- Standard or Pleated Filters
- Junction Box or Motor Start/Stop Station
- Plastic or Stainless Steel Drainpans
- For Electric Heat add 2 days

<b>Sizes Available</b>	400 CFM thru 8000 CFM
<b>Options <u>Not</u> Available thru the Road Runner Program:</b>	
	<b>HIGH CAPACITY DX COIL</b>
	<b>STEAM COILS</b>
	<b>FACE-N-BYPASS</b>
	<b>2 SPEED MOTORS OR HIGH EFF.</b>

**Acceptable Selections for each digit of the code string**

Code Selection	1	2	3	4,5	6	7	8	9	10,11	12	13	14	15	16,17	18	19	20	21	22
	H	B	A	04	A	A	A	A	AA	A	A	0	0	AA	A	A	A	A	A
			B	06		B			H1	L	B	1	1	B1	B	C	B	B	
				08		C			H2	M	D	2	2	B2		D			
				12		H			H4	N	E	3	3	B3					
				16		S			H6	R	G	4	4	B4					
				20					*	S	H	5	5	B5					
				30						T		6	6	B6					
				40						U		7	7	B7					
				60								8	8	G1					
				80								9	9	G2					
												A	A	G3					
												B	B	G4					
												C	C	G5					
												D	D	G6					
												E	E	G7					
												F	F	H1					
													G	H2					
													H	H3					
													J	H4					
													K	H5					
													L	H6					
													M						
													N						
													P						

\* FOR ELECTRIC HEAT ADD 2 DAYS

# BVE SERIES 5-DAY QUICK SHIP PROGRAM



## VERTICAL BELT-DRIVE AIR HANDLING UNITS

**Key features available**

- Alls sizes
- All Chilled/Hot Water Selections
- Standard Capacity R-22 or R410A
- All Voltages
- Standard ODP Motors
- Standard or Pleated Filters
- Junction Box or Motor Start/Stop Station
- Plastic or Stainless Steel Drainpans

Sizes Available	800 CFM thru 4000 CFM
Options <u>Not</u> Available thru the Road Runner Program:	
	HIGH CAPACITY DX COIL
	FACE-N-BYPASS
	2 SPEED MOTORS OR HIGH EFF.

**Acceptable Selections for each digit of the code string**

Code Selection	1	2	3	4,5	6	7	8	9	10,11	12	13	14	15	16,17	18	19	20	21	22
	B	V	E	08 12 16 20 30 40	A	A B H S	A	A	AA H2	A R	A B D E G H	0 1 2 3 4 5 6 7 8 9 A B C D E F	0 1 2 3 4 5 6 7 8 9 A B C D E F G H J K L M N P	AA B1 B2 B3 B4 B5 B6 B7 G1 G2 G3 G4 G5 G6 G7 H1 H2 H3 H4 H5 H6	A B	A	A B	A B C	A

# BMB SERIES 5-DAY QUICK SHIP PROGRAM



## MODULAR BELT-DRIVE AIR HANDLING UNITS

### Key features available

- All sizes
- All Chilled/Hot Water Selections
- Standard Capacity R-22 or R410A
- Right/Left Hand and Opposite Connections
- All Voltages
- Standard ODP Motors
- Standard or Pleated Filters
- Junction Box or Motor Start/Stop Station
- Galvanized or Stainless Steel Drainpans

Sizes Available	800 CFM thru 8000 CFM
Options <u>Not</u> Available thru the Road Runner Program:	
	HIGH CAPACITY DX COIL
	STEAM COILS
	2 SPEED MOTORS OR HIGH EFF.

### Acceptable Selections for each digit of the code string

Code Selection	1	2	3	4,5	6	7	8	9	10,11	12	13	14	15	16,17	18	19	20	21	22
	B	M	B	08	A	A	A	A	AA	A	A	0	0	AA	A	A	A	A	A
				12	D	B			H1	L	B	1	1	B1	B		B	B	
				16	E	C			H2	R	D	2	2	B2					
				20	H	H			H4	S	E	3	3	B3					
				30	J	S			H6		G	4	4	B4					
				40	K						H	5	5	B5					
				60								6	6	B6					
				80								7	7	B7					
												8	8	G1					
												9	9	G2					
												A	A	G3					
												B	B	G4					
												C	C	G5					
												D	D	G6					
												E	E	G7					
												F	F	H1					
													G	H2					
													H	H3					
													J	H4					
													K	H5					
													L	H6					
													M						
													N						
													P						

**DH SERIES 5-DAY QUICK SHIP PROGRAM**  
**HORIZONTAL DIRECT-DRIVE AIR HANDLING UNITS**



Key features

- Alls sizes
- All Chilled Selections
- Standard Capacity R-22 or R410A
- Right/Left Hand and Opposite Connections
- All Voltages
- Galvanized or Stainless Steel Drainpans
- Optional Hot Water Section, see page 9

Acceptable Selections for each digit of the code string

Code	1	2	3	4,5	6	7	8	9	10	11	12	13
Selection	D	H	A	04	0	A	R	A	1	A	A	A
				06	B		S		2			B
				08	J				3			
				10	K							
					M							

**DV SERIES 5-DAY QUICK SHIP PROGRAM**

**VERTICAL DIRECT-DRIVE AIR HANDLING UNITS**



Key features

Alls sizes

All Chilled Selections

Standard Capacity R-22 or R410A

Right/Left Hand and Opposite Connections

All Voltages

Galvanized or Stainless Steel Drainpans

Optional Hot Water Section, see page 9

Acceptable Selections for each digit of the code string

Code	1	2	3	4,5	6	7	8	9	10	11	12	13
Selection	D	V	A	04	0	A	R	A	1	A	A	A
				06	B		S		2			B
				08	J				3			
				10	K							
					M							

**DU SERIES 5-DAY QUICK SHIP PROGRAM**

**UNIVERSAL MOUNT DIRECT DRIVE**



Key features

Alls sizes

All Chilled/Hot Water Coil Selections

Standard Capacity R-22 or R410A

All Voltages

Galvanized or Stainless Steel Drainpans

Acceptable Selections for each digit of the code string

Code	1	2	3	4,5	6	7	8	9	10	11	12	13
Selection	D	U	C	06	B	A	A	S	1	A	B	A
				08	C	B			2	B		B
				10	D	2				D		C
				12	F	3				E		D
				14	H	4				F		
				16						G		
				20								

# COILS 2-DAY QUICK SHIP PROGRAM

## CASED / UNCASSED HEATING AND COOLING COILS



### Standard Quick Ship Coil Features

- Coils are constructed with copper tubes and aluminum fins bonded to the tubes by mechanical expansion, and with galvanized steel end plates for operation at 400-psig.
- Cabinets are fabricated from galvanealed steel, powder-coat painted inside and out; insulated with 3/4-in. 1.5-lb. Tuf-Skin II® fiberglass insulation; and include drain pan and removable panel for access to service or remove coil.

Part Number	Product	Description	Rows / FPI	Nominal Cap Tons
473-285007-001	HW-2	Horiz. cased chilled/hot water	4/10	2
473-285007-002	HW-3	Horiz. cased chilled/hot water	4/10	3
473-285007-003	HW-4	Horiz. cased chilled/hot water	4/10	4
473-285007-004	HW-5	Horiz. cased chilled/hot water	4/10	5
473-285007-005	HW-7.5	Horiz. cased chilled/hot water	4/10	7.5
473-285007-006	HW-10	Horiz. cased chilled/hot water	4/10	10
473-285007-015	HX-7.5V	Horiz. cased R-22 DX	3/10	7.5
473-285007-115	HX-7.5V DUAL	Horiz. cased R-22 DX Dual Circuit	3/10	7.5
473-285007-016	HX-10V	Horiz. cased R-22 DX	3/10	10
473-285007-116	HX-10V DUAL	Horiz. cased R-22 DX Dual Circuit	3/10	10
473-290003-002	VW-2-D	Vertical uncased chilled/hot water	3/12	2
473-290004-002	VW-3-D	Vertical uncased chilled/hot water	4/12	3
473-290005-002	VW-4-D	Vertical uncased chilled/hot water	4/12	4
473-290006-002	VW-5-D	Vertical uncased chilled/hot water	4/12	5
741105	VX-7.5V W/CAB	Vertical "A" R-22 DX coil, with cabinet	3/10	7.5
741110	VX-7.5V DUAL W/C	Vertical "A" R-22 DX coil, dual circuit, w/cab	3/10	7.5
741205	VX-10V W/CAB	Vertical "A" R-22 DX coil, with cabinet	3/10	10
741210	VX-10V DUAL W/C	Vertical "A" R-22 DX coil, dual circuit, w/cab	3/10	10

Part Number	Product	Description	Rows / FPI	Nominal Cap MBH	Fin Height (inches)	Fin Width (inches)
747000	SHW-2130	Space heating hot water coil, flanged	2/10	33.6	12.5	15
747100	SHW-2208	Space heating hot water coil, flanged	2/10	57.2	15	20
747200	SHW-2347	Space heating hot water coil, flanged	2/10	97.5	20	25
747300	SHW-2417	Space heating hot water coil, flanged	2/10	119.4	20	30
747400	SHW-3130	Space heating hot water coil, flanged	3/10	43.9	12.5	15
747500	SHW-3208	Space heating hot water coil, flanged	3/10	74.1	15	20
747600	SHW-3347	Space heating hot water coil, flanged	3/10	129.5	20	25
747700	SHW-3417	Space heating hot water coil, flanged	3/10	158.3	20	30
747800	SHW-4130	Space heating hot water coil, flanged	4/10	56.6	12.5	15
747900	SHW-4208	Space heating hot water coil, flanged	4/10	86.7	15	20
748000	SHW-4347	Space heating hot water coil, flanged	4/10	154.3	20	25
748100	SHW-4417	Space heating hot water coil, flanged	4/10	182.6	20	30

## ACCESSORIES 5-DAY QUICK SHIP PROGRAM



Part Number	Product	Description	Nominal Capacity Tons
373-220039-018	Mixing Box	HBB-04/06 Mixing Box	1 / 1.5
373-220039-036	Mixing Box	HBB-08/12 Mixing Box	2 / 3
373-220039-060	Mixing Box	HBB-16/20 Mixing Box	4 / 5
373-220039-120	Mixing Box	HBB-30/40 Mixing Box / BMB-30/40	7.5 / 10
373-220039-180	Mixing Box	HBA-60 Mixing Box	15
373-220039-240	Mixing Box	HBA-80 Mixing Box / BMB-60/80	20
373-252001-048	Mixing Box	BMB-16/20 Mixing Box	4 / 5
744500	Plenum Box	BVE-08/12 Plenum Box	3
744600	Plenum Box	BVE-16 Plenum Box	4
744700	Plenum Box	BVE-20 Plenum Box	5
373-100521-000	Plenum Box	BVE-30/40 Plenum Box	7.5 / 10
752400	Discharge Grille	HBB-08/12	2 / 3
752600	Discharge Grille	HBB-16/20	4 / 5
752800	Discharge Grille	HBB-30/40	7.5 / 10
752450	Return Grille	HBB-08/12	2 / 3
752650	Return Grille	HBB-16/20	4 / 5
752850	Return Grille	HBB-30/40	7.5 / 10
769000		Heat Pump Bypass Kit - R22	2 / 3
769010		Heat Pump Bypass Kit - R22	4 / 5
769020		Heat Pump Bypass Kit - R22	7.5 / 10

**CH SERIES 5-DAY QUICK SHIP PROGRAM**



Key features

- Alls sizes
- All Chilled Water Coil Selections
- R-22 or R410A Available
- KW Electric Heat Available - See Chart
- Right/Left Hand Connections
- Return Air Plenum Available
- Galvanized or Stainless Steel Drainpans
- 120V or 208/230V Standard Static Motor Only

**Electric Heat Options**

Unit Size	Code	KW
02	D	2.5
04	D	2.5
06	F or J	3.0 or 6.0
08	F or J	3.0 or 6.0
10	F or J	3.0 or 6.0
12	J	6.0

**Acceptable Selections for each digit of the code string**

Code Selection	1	2	3	4,5	6	7	8	9	10	11	12	13
	C	H	A	02	B	A	A	A	1	A	A	A
				04	C	1	L		2	B	B	B
				06	D	2	R			C	R	
				08	J		S			D		
				10	K							
				12	P							

**CE SERIES 5-DAY QUICK SHIP PROGRAM**



Key features

- Alls sizes
- All Chilled Water Coil Selections
- R-22 or R410A Available
- KW Electric Heat Available - See Chart
- Right/Left Hand Connections
- Return Air Plenum Available
- Galvanized or Stainless Steel Drainpans
- 120V or 208/230V Standard Static Motor Only

**Electric Heat Options**

Unit Size	Code	KW
02	D	2.5
04	D	2.5
06	F or J	3.0 or 6.0
08	F or J	3.0 or 6.0
10	F or J	3.0 or 6.0
12	J	6.0

**Acceptable Selections for each digit of the code string**

Code Selection	1	2	3	4,5	6	7	8	9	10	11	12	13
	C	E	A	02	B	A	A	A	1	A	B	A
				04	C	1	L		2	B		B
				06	D	2	R			C		
				08			S			D		
				10								
				12								

# BRD SERIES 10-DAY QUICK SHIP PROGRAM



## ROOFTOP BELT-DRIVE AIR HANDLING UNITS

### Key features available

- Alls sizes
- All Chilled/Hot Water Selections
- Standard Capacity R-22 or R410A
- All Voltages
- Standard ODP Motors
- Standard or Pleated Filters
- Single or Double Wall
- Galvanized or Stainless Steel Drainpans
- For Electric Heat add 2 days
- Roof Curbs also available

Sizes Available	800 CFM thru 8000 CFM
Options <u>Not</u> Available thru the Road Runner Program:	HIGH CAPACITY DX COIL
	STEAM COILS
	ECONOMIZER & MOAD's Sections
	2 SPEED MOTORS OR HIGH EFF.

### Acceptable Selections for each digit of the code string


Code Selection	1	2	3	4,5	6	7	8	9	10,11	12	13	14	15	16,17	18	19	20	21	22
	B	R	D	08	A	A	A	A	AA	A	A	0	0	AA	A	A	A	A	A
				12	B	B			H1	R	B	1	1	B1	B	B		B	
				16	C	C			H2		D	2	2	B2		C			
				20	D	H			H4		E	3	3	B3		D			
				30	E	J			H6		G	4	4	B4					
				40	F	S					H	5	5	B5					
				60	G	T						6	6	B6					
				80	H							7	7	B7					
					J							8	8	G1					
					K							9	9	G2					
												A	A	G3					
												B	B	G4					
												C	C	G5					
												D	D	G6					
												E	E	G7					
												F	F	H1					
													G	H2					
													H	H3					
													J	H4					
													K	H5					
													L	H6					
													M	H7					
													N	H8					
													P	H9					

**PARTS 2-DAY QUICK SHIP PROGRAM**  
**REPLACEMENT PARTS**



**ALL ITEMS LISTED IN REPLACEMENT PARTS GUIDE ARE AVAILABLE**

# FREIGHT COST ADDERS



## FREIGHT COST ADDERS - STANDARD DELIVERY

Zone 1: Add 2.5% of List Price
Zone 2: Add 3.5% of List Price
Zone 5: Add 4.5% of List Price or min. of \$125.00

Zone 5: Canada - Quebec, British Columbia, Lower Ontario

Zone 3: Add 3.6% of List Price
Zone 4: Add 3.8% of List Price
Zone 6: Add 5.0% of List Price or min. of \$125

Zone 6: Canada - Alberta, Saskatchewan, Manitoba

## FREIGHT COST ADDERS - 2-Day Expedite

Zone 1: Add 8.5% of List Price
Zone 2: Add 10.0% of List Price

Zone 3: Add 11.0% of List Price
Zone 4: Add 12.0% of List Price